

# AGM START-STOP BATTERY

## AGM-L2 R (12V60Ah)




### CHARACTERISTICS

| Item                           | Specifications           |
|--------------------------------|--------------------------|
| Nominal Voltage                | 12V                      |
| Nominal Capacity (20HR)        | 60Ah                     |
| Reserve Capacity               | 100min                   |
| Cold Cranking Amps@0°F (-18°C) | 660A                     |
| Length                         | 242mm(9.53inches)        |
| Dimension                      | Width 175mm(6.89inches)  |
|                                | Height 190mm(7.48inches) |
| Approx Weight                  | 17.8kg(39.2lbs)          |
| Terminal                       | 1                        |
| Cell layout                    | 1                        |
| Hold-Down                      | B13                      |
| Case                           | Black-PP Material        |
| Cover                          | Black-PP Material        |
| Handle                         | TS2                      |


### APPLICATIONS

- Car with start-stop system
- EV/HEV
- Engine start



### GENERAL FEATURES

- Maximum CCA and life
- Valve regulated technology
- Advanced Absorbed Glass Mat (AGM) technology
- Top-level safety - absolutely no free acid
- 2x Faster Charge Acceptance than conventional starter batteries
- 3x higher cycle life than conventional starter batteries
- Suit for working in partial state of charge operations (PSoC)
- OE quality certification



\*Values are subject to variation of +/- 5% in normal manufacturing processes.